





ST. TROPEZ, GABORONE



Dimensions in: mm/inch



St. Tropez

**Modern reading light –
With LED technology**

Housing

Aluminium, matt

Mounting

Wall or table mounting

Electric

On / off switch,
bulb included



No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED reading light wall mounted and torque switch	1 x 1 W	Aluminium, matt	12 V, 24 V, DC transformer	3157120000
2	LED reading light table mounted and touch switch	1 x 1 W	Aluminium, matt	12 V, 24 V, DC transformer	3157110000



Dimensions in: mm/inch



GABORONE

**LED chart light –
With a flexible swivel arm.
Equipped with both white and red
LED light to maintain night vision**

Housing

Plastic

Mounting

Wall or table mounting
with 3 screws (included)


Electric

On / off switch
with 2-wire cable,
bulb included



No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED chart light	9 W, white 4 W, red	Black	12 V	3716500700





Dimensions in: mm/inch

1

Toronto

Reading and chart table light – With dimmer and switch

Housing

Plastic black, impact and shock resistant,
non-corrosive, non-magnetic,
seawater resistant

Diffuser


Polycarbonate

Mounting


Pig tail version, slip into the bracket,
bracket-mounting with 2 screws (not included)

Electric

On / off switch, dimmer,
bulb included



No.	Description	Wattage	Housing colour	Article number 12 V / Halogen	Article number 24 V
1	Reading and chart table light, pig tail version with two brackets	5 W	Black	3132012000	3132013000
	Reading and chart table light with fixed mount	5 W	Black	3132002000	3132003000




Spare Parts
Ersatzteile
Pièces de rechange



PORTOFINO, AVIGNON

1



Dimensions in: mm/inch

Portofino

Reading, berth and wall light –
For more atmosphere and
functionality on board

Housing

Plastic, polycarbonate diffuser

Mounting

2 self-tapping stainless steel
screws (Ø 3.5 mm)

Electric


On / off switch, bulb included

No.	Description	Wattage	Housing colour	Voltage	Article number
1	Reading light / Wall light	5 W	Black	12 V	3140101000
	Reading light / Wall light	5 W	White	12 V	3140001000

Spare Parts / Extras

	Bulb	5 W		12 V	9040028200
	Bulb	5 W		24 V	9040024700
	Diffuser				8314000100

1



Dimensions in: mm/inch

Avignon

Modern halogen downlight –
For recessed mounting

Housing

Plastic

Diffuser

Stainless steel and glass

Protection degree

IP 65

Electric

Bulb included

No.	Description	Wattage	Housing colour	Voltage	Article number
1	Downlight	10 W	Chrome plated	12 V	3103307000

Spare Parts / Extras

	Bulb	10 W		12 V	9040043700
	Bulb	5 W		12 V	9040043600

ATLANTA



— Dimensions in: mm/inch —

Atlanta

Maritime recessed lights –
For halogen and festoon bulbs

Housing

Metal

Diffuser

Plastic with or without stainless steel
cover ring, different style,
seawater resistant

Protection degree


IP 56

Mounting

With 3 screws max. Ø 3.5 mm (not included)

Electric

All diffuser are with gasket,
bulb not included



No.	Description	Wattage	Housing colour	Voltage	Article number
1	Recessed light with stainless steel ring, crystal diffuser	10 W	Stainless steel	12 V, 24 V	3107012000
2	Recessed light with stainless steel ring, opaque diffuser	10 W	Stainless steel	12 V, 24 V	3107010000
3	Recessed light, diffuser red (without stainless steel ring)	10 W	Red	12 V, 24 V	3107020000
4	Recessed light, diffuser opaque-white (without stainless steel ring)	10 W	White	12 V, 24 V	3107001000
5	Recessed light with round stainless steel ring, crystal diffuser	10 W	Stainless steel	12 V, 24 V	3107050000
6	Recessed light with round stainless steel ring, opaque-white diffuser	10 W	Stainless steel	12 V, 24 V	3107060000
7	Recessed light with round stainless steel ring, red diffuser	10 W	Stainless steel	12 V, 24 V	3107070000

Spare Parts / Extras					
	Bulb (Halogen)	10 W		12 V	9040043700
	Bulb	10 W		12 V	9040017700
	Bulb	10 W		24 V	9040019100
	Diffuser with stainless steel ring, crystal disc	10 W	Stainless steel	12 V, 24 V	8310701200
	Diffuser with stainless steel ring, opaque disc	10 W	Stainless steel	12 V, 24 V	8310700800
	Diffuser red	10 W	Red	12 V, 24 V	8310700900
	Diffuser red with stainless steel ring	10 W		12 V, 24 V	8310701000
	Diffuser opaque	10 W	White	12 V, 24 V	8310700300
	Diffuser convex with stainless steel ring, crystal disc	10 W	Stainless steel	12 V, 24 V	8310701800
	Diffuser convex with stainless steel ring, opaque disc	10 W	Stainless steel	12 V, 24 V	8310701700
	Diffuser convex with stainless steel ring, red disc	10 W	Stainless steel	12 V, 24 V	8310701900

COMO



Dimensions in: mm/inch

Como

Maritime surface lights –
For halogen and festoon bulbs

Housing

Brass / stainless steel / stainless steel painted white

Diffuser

Polycarbonate, seawater resistant


Mounting

With 4 screws max. Ø 4.2 mm (not included)


Electric

On / off switch,
100 m cable (included),
bulb included

1














2




No.	Description	Wattage	Housing colour	Article number 12 V	Article number 24 V
1	Downlight, Ø 125 mm	10 W	Brass	3124201000	3124202000
	Downlight, Ø 125 mm	5 W Halogen	Brass	3124203000	
	Downlight, Ø 125 mm	10 W	Stainless steel	3124204000	
	Downlight, Ø 125 mm	10 W	White	3124213000	
2	Downlight, Ø 165 mm	10 W Halogen	Brass	3124303000	
	Downlight, Ø 165 mm	2 x 10 W	Brass	3124301000	3124302000
	Downlight, Ø 165 mm	2 x 10 W	Stainless steel	3124304000	
	Downlight, Ø 165 mm	2 x 10 W	White	3124313000	

Spare Parts / Extras

	Diffuser (Ø 125 mm)				2312420500
	Ring (Ø 125 mm)		Brass		6312420100
	On / off switch				9020040200
	Diffuser (Ø 165 mm)				6312430300
	Ring (Ø 165 mm)		Brass		6312430100
	Ring stainless steel (Ø 165 mm)				6312422500
	Ring stainless steel (Ø 165 mm)				6312430400
	Bulb (Halogen)	5 W		12 V	9040043600
	Bulb (Festoon)	10 W		12 V	9040017700
	Bulb	10 W		24 V	9040019100
	Bulb (Halogen)	10 W		12 V	9040043700



MONTE CARLO



Dimensions in: mm / inch

1



Monte Carlo

Halogen downlight –
For recessed or surface mounting

Housing

Plastic, heat resistant, non-magnetic

Diffuser


Plastic

Mounting


Recessed version with clips,
surface version with 2 screws max. Ø 3 mm
(not included)


Electric

On / off switch, bulb included



2



No.	Description	Wattage	Housing colour	Voltage	Article number
1	Recessed downlight	5 W	Brass	12 V	3109201000
	Recessed downlight	5 W	Chrome	12 V	3109101000
	Recessed downlight	5 W	White	12 V	3109001000
2	Surface downlight	5 W	Brass	12 V	3109210000
	Surface downlight	5 W	Chrome	12 V	3109110000
	Surface downlight	5 W	White	12 V	3109010000
Spare Parts / Extras					
	Bulb	5 W		12 V	9040043600

INTERIOR LIGHTS

MONTE CARLO



VALENCIA



Dimensions in: mm/inch

Valencia

Maritime surface lights –
For halogen and festoon bulbs

Housing

Plastic, seawater resistant

Diffuser

Polycarbonate, seawater resistant


Mounting

With 2 screws max. Ø 4 mm
(not included), cable entry through base


Electric

On / off switch,
bulb not included

1











2



3




No.	Description	Wattage	Housing colour	Voltage	Article number
1	Downlight, ø 100 mm	10 W, 5 W	Brass	12 V, 24 V	3120040000
2	Downlight, ø 140 mm	2 x 10 W, 2 x 5 W	Brass	12 V, 24 V	3119040000
3	Downlight, ø 100 mm	10 W, 5 W	Red	12 V, 24 V	3120210000

Spare Parts / Extras					
	Diffuser, ø 100 mm		Clear / Brass		2312000500
	Diffuser, ø 100 mm		Red		2312000600
	Diffuser, ø 140 mm		Clear / Brass		2311900500
	On / off switch				9020040200
	Bulb	10 W		12 V	9040017700
	Bulb	10 W		24 V	9040019100
	Bulb	5 W		12 V	9040018700
	Bulb	5 W		24 V	9040019000

1



2




Dimensions in: mm/inch

Cannes

Wall lights –
Flexible way of mounting gives
two designs

Housing
Plastic (brass or chrome-coloured)

Electric
On / off switch,
bulb not included

No.	Description	Wattage	Housing colour	Article number 12 V	Article number 24 V
1	Wall light	15 W	Brass	3133413000	3133414000
2	Wall light	15 W	Chrome	3133403000	3133404000
Spare Parts / Extras					
	Bulb	15 W		9040075500	9040075600

CALVI



Dimensions in: mm/inch

Calvi

Halogen lights –
With an adjustable light unit,
easy to fit

Housing

Plastic, impact and shock resistant


Diffuser

Glass


Electric

On / off switch, with 100 mm cable (included),
bulb included


1



2



3



No.	Description	Wattage	Housing colour	Voltage	Article number
1	Halogen light	10 W	Brass	12 V	3146120000
	Halogen light	10 W	Chrome	12 V	3146220000
	Halogen light	10 W	White	12 V	3146020000
2	Halogen light, red / white	10 W	White	12 V	3146030000
3	Halogen light	10 W	Brass	12 V	3146110000
	Halogen light	10 W	Chrome	12 V	3146210000
	Halogen light	10 W	White	12 V	3146010000

Spare Parts / Extras



Bulb	10 W		12 V	9040043700
------	------	--	------	------------

1



2



3



Dimensions in: mm/inch

St. Malo

**Classic berth light –
Specially for use on board,
suppressed**

Housing

Polycarbonate

Diffuser


Brass / stainless steel /
galvanized steel plate

Mounting


With 2 screws max. Ø 6 mm
(not included)

Electric

On / off switch, bulb not always
included, see table



Spare Parts Ersatzteile Pièces de rechange



No.	Description	Wattage	Housing colour	Article number 12 V	Article number 24 V	Article number 12 V / 24 V
1	Transistorized light, socket TC 2G 7, bulb included	7 W	Brass	3122010000	3122011000	
	Non-transistorized light, socket BA 15d, bulb not included	10 W	Brass			3122001000
2	Transistorized light, socket TC 2G 7, bulb included	7 W	Stainless steel	3121010000	3121011000	
	Non-transistorized light, socket BA 15d, bulb not included	10 W	Stainless steel			3121001000
3	Transistorized light, socket TC 2G 7, bulb included	7 W	White	3121315000	3121316000	

MIAMI, ANTIBES



Dimensions in: mm/inch

Miami

**Extremely flat recessed light –
Specially for use on board,
suppressed**

Housing

Galvanized steel plate/white

Diffuser

Plastic


Mounting

With 4 screws max. Ø 4 mm
(not included)

Electric

On / off switch, bulb included

1



No.	Description	Wattage	Housing colour	Article number 12 V	Article number 24 V
1	Transistorized light	8 W	White	3145601000	3145602000

Spare Parts / Extras					
	Bulb 12 V, 24 V	8 W		9040086600	



Dimensions in: mm/inch

Antibes

**Fluorescent light –
Specially for use on board,
suppressed**

Housing

Galvanized steel plate and plastic/white


Mounting

With 2 screws max. Ø 4 mm
(not included)




Electric

Sliding switch integrated in diffuser,
vibration-proof, bulb included

1



No.	Description	Wattage	Housing colour	Article number 12 V	Article number 24 V
1	Transistorized light	8 W	White	3145707000	3145708000

Spare Parts / Extras					
	Diffuser			2314570300	
	On / off switch			9020040200	
	Bulb	8 W		90400866000	

1



Dimensions in: mm / inch

Malaga


Fluorescent light –
Specially for use on board,
suppressed

Housing
Seawater resistant aluminium

Mounting
With 2 screws max. Ø 4 mm
(not included)

Electric
On / off switch, bulb included

Spare Parts
Ersatzteile
Pièces de rechange



No.	Description	Wattage	Housing colour	Article number 12 V	Article number 24 V
1	Transistorized light	8 W	Brass / Caps brown	3130042000	3130043000
	Transistorized light	8 W	Brass / Caps black	3130072000	3130073000



MAPUTO, CAIRO



Dimensions in: mm/inch

LED technologie

Maputo

**LED multipurpose light –
With a rocker switch for red
and white illumination**

Housing

Plastic

Mounting

Surface-mount with 4 screws (included)

Electric

On / off / on switch,
with 3-wire cable,
bulb included

1



No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED multipurpose light	< 3 W	White	12 V, 24 V	3716530700



Dimensions in: mm/inch

LED technologie

Cairo

**LED bulkhead light –
For effective lighting**

Housing

Plastic


Mounting

Surface-mount / wall
with 4 screws (included)

Electric


With 2-wire cable,
bulb included

1



No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED bulkhead light	< 3 W	White	12 V	3716510700

1



Dimensions in: mm/inch



Prague

Dimmable 2-colour LED light – With red and white light. This light has a touch pad for 3 dimming levels

Housing
Plastic

Mounting
Surface-mount with 2 screws (included)

Electric
Multivolt 8 - 30 V, 3-wire cable, bulb included

No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED light	< 3 W, white < 1 W, red	White	Multivolt 8 - 30 V	3716600700



COLOMBO



Dimensions in: mm/inch

LED technologie

Colombo

LED dome light –
Fitted with white and red LEDs.
Extremely low power consumption

Housing

Plastic or stainless steel

Mounting

Surface-mount


Electric

On / off / on switch,
bulb included

1



2



No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED dome light	< 2 W, white < 1 W, red	White	12 V	3716602700
2	LED dome light	< 2 W, white < 1 W, red	Stainless steel	12 V	3716601700

1



Dimensions in: mm/inch



Vienna

LED multipurpose light –
Easy to use, just press the light lens.
This light is suitable for use in
many areas

Housing
Plastic

Mounting
Surface or recessed, using
2 screws (included)

Electric
Push-lens,
on / off switch, 2-wire cable,
bulb included

No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED multipurpose light	6 W	White	12 V	3716610700



BOGOTA



Dimensions in: mm/inch



Bogota

LED round light with 4 diodes –
The light generates as much light
as a conventional 12 V bulb, but
only consumes 0.8 Watt
(1/10th of the normal consumption)

Housing


Plastic or stainless steel cover,
 seawater resistant

Mounting

With 4 screws (not included)

Electric

With 2-wire cable,
 bulb included



1



2



No.	Description	Housing colour	Wattage	Voltage	Article number
1	4 LED diodes round light (white), plastic cover chrome/white	White	0,8 W	12 V	3716408700
	4 LED diodes round light (blue), plastic cover chrome/white	White	0,8 W	12 V	3716409700
	4 LED diodes round light (yellow), plastic cover chrome/white	White	0,8 W	12 V	3716410700
	4 LED diodes round light (red), plastic cover chrome/white	White	0,8 W	12 V	3716411700
2	4 LED diodes round light (white), stainless steel cover	Stainless steel	0,8 W	12 V	3716404700
	4 LED diodes round light (blue), stainless steel cover	Stainless steel	0,8 W	12 V	3716405700
	4 LED diodes round light (yellow), stainless steel cover	Stainless steel	0,8 W	12 V	3716406700
	4 LED diodes round light (red), stainless steel cover	Stainless steel	0,8 W	12 V	3716407700

1



Dimensions in: mm/inch



Lima


LED steplight

Orientation light, easy to install.
For different applications.

Protection degree

IP 67

No.	Description	Wattage	Housing colour	Voltage	Article number
1	LED steplight blue	0,3 W	Transparent	12 V	3716413700
	LED steplight white	0,3 W	Transparent	12 V	3716412700



PARIS



Dimensions in: mm/inch

LED technologie

1



Paris

**Stylish downlight –
For recessed mounting – Halogen and LED!**

Housing

Plastic

Diffuser


Stainless steel and glass

Protection degree

IP 65

Electric

Bulb included



2



No.	Description	Wattage	Housing colour	Article number 12 V	Article number 24 V
1	Downlight (small), LED	15 W	Chrome	3113117000	3113118000
	Downlight (small)	10 W	Chrome	3113107000	
2	Downlight (large), LED	15 W	Chrome	1403593000	1403585000
	Downlight (large)	10 W	Chrome	3112107000	

Spare Parts / Extras					
	Bulb	5 W		9040043600	
	Bulb	10 W		9040043700	
	Bulb	10 W G4		9040056100	

